A complete range of solutions for quick color change

Magic Systems are easy to customize in booth dimensions, air volume, number and position of guns and touch-up stations.





Efficient powder application

Quick color change Robust and reliable for every need

Magic Systems powder circuit

- From the feed station OptiCenter (1) the powder is transported to the electrostatic guns
 (2) that charge it and apply it on the pieces.
- The cyclone (3) separates the overspray powder from the extraction air.
- The pump (4) transports the powder back to the OptiCenter (1).
- A sieve integrated in the powder recovery circuit removes contaminants.
- The final filter (5) retains dust particles and clean air returns to the ambient.



Ideal solution for every customer's needs

- EquiFlow technology can be used in different layouts to accommodate every customer's needs
- **MagicCylinder** EquiFlow, the unique round-booth solution
- **MagicCompact** EquiFlow, the compact color change solution
- MagicCompact XXL for extra-large parts coating
- Optional pre/post manual coating in every solution
- Great performance, robustness and easy maintenance in every solution



Powder feed station OptiCenter

- The **OptiCenter** is a key element of the system and offers significant advantages.
- **Clean** working environment
- **Ideal powder preparation** for Venturi injectors and AP02 pumps
- Integrated ultrasonic sieve to remove contaminates from fresh and/or recovered powder and ensure superior coating quality
- Automated cleaning process



Cyclone and Sieving solutions

- Advanced cyclone design ensures highest >95% separation efficiency and guarantees minimal powder waste
- Easy cleaning for **faster color changes**
- A **robust vibratory sieve** integrated in the cyclone removes contamination
- An **high-quality ultrasonic sieve** in OptiCenter offers additional benefits:
 - High quality sieving of fresh and/or recovery powder
 - Different mesh sizes for various powders and throughput needs
 - Easy cleaning



OptiFeed 4.0 Powder Pump

 The **OptiFeed** pump ensures gentle and constant transportation of large quantities of powder

- High powder transport capacity
- Stable powder transport with minimum compressed air consumption
- Automatic cleaning for a fast color change
- Long lifetime of wear parts and service interval monitoring functions ensure low maintenance costs



Final Filter

- The **final filter** retains dust particles and returns clean air to the ambient.
- Rotating nozzle technology ensures very **efficient cleaning** while causing minimal stress to the filter material, resulting in long cartridge live time
- Self cleaning cartridges and air pressure monitoring reduce filter maintenance
- Designed for **minimal compressed air** consumption
- Frequency converter technology available to reduce power consumption



Multi color / single color combination

- A **switching device** is an attractive solution to combine the quick color change capabilities of a multi color recovery with the high recovery efficiency of a single color recovery.
 - **Easy and fast switching** between single and multicolor operation
 - Contamination-free operation
 - Short ROI and space-saving layout (compared to two dedicated systems)

